

VEHICLE

Reg Cab	Regular Cab	PV	Passenger Van	SWB	Short Wheelbase
Ext Cab	Extended Cab	SRW	Single Rear Wheel	LWB	Long Wheelbase
CC	Crew Cab	DRW	Dual Rear Wheel	EL	Extra Length
DC	Double Cab	AWD	All-Wheel Drive	LR	Low Roof
SB	Shortbed	FWD	Front-Wheel Drive	MR	Medium Roof
Std Bed	Standard Bed	RWD	Rear-Wheel Drive	HR	High Roof
LB	Longbed	2WD	Two-Wheel Drive	EHR	Extra-High Roof
CV	Cargo Van	4WD	Four-Wheel Drive		

ENGINE

TD	Turbo Diesel
TC	Turbocharged
SC	Supercharged

GEAR RATIO

b	3.08:1	h	3.55:1
c	3.15:1	i	3.73:1
d	3.21:1	j	3.92:1
e	3.23:1	k	4.10:1
f	3.31:1	l	4.30:1
g	3.42:1		

a	Automatic Transmission	m6	Manual Transmission, 6 Speeds
a6	Automatic Transmission, 6 Speeds	p	Cooling or Other Accessory Package Required
a8	Automatic Transmission, 8 Speeds	t	Tow Package/Upgraded Tow Package Required
a9	Automatic Transmission, 9 Speeds		for Maximum Tow Capacity
a10	Automatic Transmission, 10 Speeds	/	Either/Or
m	Manual Transmission	,	More Than One Footnote Applies

Transit T-350 LWB HR	3.7L V-6	6,200 (k,t)
Transit T-350 LWB HR	3.5L V-6 TC	5,300 (f,t)
Transit T-350 LWB HR	3.5L V-6 TC	6,700 (i,t)
Transit T-350 LWB EL HR	3.7L V-6	6,000 (k,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	5,100 (f,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	6,500 (i,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	6,700 (i,t)*
Transit T-350 LWB EL HR	3.2L I-5 TD	4,200 (f,t)
Transit T-350 LWB EL HR	3.2L I-5 TD	7,100 (i,t)

*GCWR 13,000 lbs.

TRANSIT WAGON

T-150 Regular Wheelbase

Transit T-150 RWB LR	3.7L V-6	4,700 (i,t)
Transit T-150 RWB LR	3.7L V-6	5,100 (k,t)
Transit T-150 RWB LR	3.5L V-6 TC	5,100 (f/i,t)
Transit T-150 RWB MR	3.7L V-6	4,500 (i,t)
Transit T-150 RWB MR	3.7L V-6	4,900 (k,t)
Transit T-150 RWB MR	3.5L V-6 TC	4,900 (f/i,t)

T-350 Long Wheelbase

Transit T-350 LWB LR	3.7L V-6	4,300 (i,t)
Transit T-350 LWB LR	3.7L V-6	4,700 (k,t)
Transit T-350 LWB LR	3.5L V-6 TC	4,600 (f/i,t)
Transit T-350 LWB LR	3.2L I-5 TD	3,800 (f,t)
Transit T-350 LWB LR	3.2L I-5 TD	4,400 (i,t)
Transit T-350 LWB MR	3.7L V-6	4,100 (i,t)
Transit T-350 LWB MR	3.7L V-6	4,500 (k,t)
Transit T-350 LWB MR	3.5L V-6 TC	4,500 (f/i,t)
Transit T-350 LWB MR	3.2L I-5 TD	3,600 (f,t)
Transit T-350 LWB MR	3.2L I-5 TD	4,200 (i,t)
Transit T-350 LWB HR	3.7L V-6	4,500 (k,t)
Transit T-350 LWB HR	3.5L V-6 TC	4,400 (f/i,t)
Transit T-350 LWB HR	3.2L I-5 TD	3,500 (f,t)
Transit T-350 LWB HR	3.2L I-5 TD	4,100 (i,t)
Transit T-350 LWB EL HR	3.5L V-6 TC	3,800 (i,t)
Transit T-350 LWB EL HR	3.2L I-5 TD	3,500 (i,t)

For trailers over 5,000 lbs., heavy-duty trailer tow package required.

GENERAL MOTORS

BUICK

Enclave Avenir	3.6L V-6	5,000 (t)
Enclave	3.6L V-6	5,000 (t)

CADILLAC

Escalade 2WD	6.2L V-8	8,300
Escalade 4WD	6.2L V-8	8,100
Escalade ESV 2WD	6.2L V-8	8,100
Escalade ESV 4WD	6.2L V-8	7,900
XT5 FWD/AWD	3.6L V-6	3,500 (t)

CHEVROLET COLORADO/GMC CANYON

Colorado/Canyon	2.5L I-4	3,500
-----------------	----------	-------

Colorado/Canyon CC 2WD	2.8L TD	7,700
Colorado/Canyon CC 4WD	2.8L TD	7,600
Colorado Ext Cab	2.8L TD	7,700
Colorado/Canyon	3.6L V-6	7,000 (t)
Colorado ZR2	All	5,000

CHEVROLET EQUINOX, TRAVERSE/GMC ACADIA, TERRAIN

Chevrolet Equinox/GMC Terrain	2.0L I-4 TC	3,500 (t)
Chevrolet Traverse	3.6L V-6	5,000 (t)
GMC Acadia	3.6L V-6	4,000 (t)
GMC Acadia Denali	3.6L V-6	4,000

CHEVROLET EXPRESS/GMC SAVANA

Express/Savana 2500 CV	4.3L V-8	7,200 (t)
Express/Savana 2500 CV	6.0L V-8	10,000 (t)
Express/Savana 2500 CV	2.8L I-4 TD	6,800 (t)
Express/Savana 2500 LWB CV	4.3L V-8	6,900 (t)
Express/Savana 2500 LWB CV	6.0L V-8	9,800 (t)
Express/Savana 2500 LWB CV	2.8L I-4 TD	6,500 (t)
Express/Savana 2500 PV	4.3L V-8	6,500 (t)
Express/Savana 2500 PV	6.0L V-8	9,400 (t)
Express/Savana 2500 PV	2.8L I-4 TD	6,100 (t)
Express/Savana 3500 CV	4.3L V-8	7,200 (t)
Express/Savana 3500 CV	6.0L V-8	10,000 (t)
Express/Savana 3500 CV	2.8L I-4 TD	6,800 (t)
Express/Savana 3500 LWB CV	4.3L V-8	7,000 (t)
Express/Savana 3500 LWB CV	6.0L V-8	9,900 (t)
Express/Savana 3500 LWB CV	2.8L I-4 TD	6,500 (t)
Express/Savana 3500 PV	4.3L V-8	6,500 (t)
Express/Savana 3500 PV	6.0L V-8	9,400 (t)
Express/Savana 3500 PV	2.8L I-4 TD	6,000 (t)
Express/Savana 3500 LWB PV	4.3L V-8	6,100 (t)
Express/Savana 3500 LWB PV	6.0L V-8	9,000 (t)
Express/Savana 3500 LWB PV	2.8L I-4 TD	5,700 (t)

CHEVROLET SILVERADO/GMC SIERRA 1500

CONVENTIONAL/FIFTH-WHEEL TOWING

Chevy/GMC Bed Lengths: Shortbed 5'8"/Standard 6.5'/Longbed 8'

1500 Regular Cab

1500 Reg Cab Std Bed 2WD	4.3L V-6	6,000/6,000 (e,t)
1500 Reg Cab Std Bed 2WD	5.3L V-8	6,900/6,900 (b,t)
1500 Reg Cab Std Bed 2WD	5.3L V-8	8,900/8,900 (g,t)
1500 Reg Cab Std Bed 4WD	4.3L V-6	7,600/7,500 (g,t)
1500 Reg Cab Std Bed 4WD	5.3L V-8	6,600/6,600 (b,t)
1500 Reg Cab Std Bed 4WD	5.3L V-8	8,600/8,600 (g,t)
1500 Reg Cab LB 2WD	4.3L V-6	5,900/5,900 (e,t)
1500 Reg Cab LB 2WD	5.3L V-8	6,800/6,700 (b,t)
1500 Reg Cab LB 2WD	5.3L V-8	9,800/9,700 (g,t)
1500 Reg Cab LB 4WD	4.3L V-6	7,400/7,400 (g,t)
1500 Reg Cab LB 4WD	5.3L V-8	6,500/6,500 (b,t)
1500 Reg Cab LB 4WD	5.3L V-8	9,500/9,500 (g,t)

1500 Double Cab

1500 DC 2WD	4.3L V-6	5,600/5,600 (e,t)
1500 DC 2WD	5.3L V-8	6,400/6,400 (b,t)
1500 DC 2WD	5.3L V-8	9,400/9,400 (a8,g,t)
1500 DC 2WD	5.3L V-8	11,100/11,000 (i,t)
1500 DC 2WD	6.2L V-8	9,400/9,000 (a8*,e,t)
1500 DC 2WD	6.2L V-8	12,500/11,600 (a8*,g,t)
1500 DC 4WD	4.3L V-6	7,100/7,000 (g,t)
1500 DC 4WD	5.3L V-8	6,200/6,200 (b,t)
1500 DC 4WD	5.3L V-8	9,200/9,000 (a8,g,t)
1500 DC 4WD	5.3L V-8	10,800/10,800 (i,t)
1500 DC 4WD	6.2L V-8	9,100/8,600 (a8*,e,t)
1500 DC 4WD	6.2L V-8	11,800/11,000 (a8*,g,t)

1500 Crew Cab

1500 CC SB 2WD	4.3L V-6	5,500 (e,t)
1500 CC SB 2WD	5.3L V-8	6,400 (b,t)
1500 CC SB 2WD	5.3L V-8	9,400 (a8,g,t)
1500 CC SB 2WD	5.3L V-8	11,000 (i,t)
1500 CC SB 2WD	6.2L V-8	9,300 (a8,e,t)
1500 CC SB 2WD	6.2L V-8	12,500 (a8,g,t)
1500 CC SB 4WD	4.3L V-6	7,000 (g,t)
1500 CC SB 4WD	5.3L V-8	6,100 (b,t)
1500 CC SB 4WD	5.3L V-8	9,100 (a8,g,t)
1500 CC SB 4WD	5.3L V-8	10,700 (i,t)
1500 CC SB 4WD	6.2L V-8	9,100 (a8,e,t)
1500 CC SB 4WD	6.2L V-8	11,700 (a8,g,t)
1500 CC Std Bed 2WD	5.3L V-8	6,300/6,300 (b,t)
1500 CC Std Bed 2WD	5.3L V-8	9,300/8,500 (g,t)
1500 CC Std Bed 2WD	5.3L V-8	11,000/10,700 (a8*,i,t)
1500 CC Std Bed 2WD	6.2L V-8	9,300/8,300 (a8*,e,t)
1500 CC Std Bed 2WD	6.2L V-8	11,900/10,500 (a8*,g,t)
1500 CC Std Bed 4WD	5.3L V-8	6,100/6,000 (b,t)
1500 CC Std Bed 4WD	5.3L V-8	9,100/8,100 (a8,g,t)
1500 CC Std Bed 4WD	5.3L V-8	10,700/10,300 (i,t)
1500 CC Std Bed 4WD	6.2L V-8	9,000/8,000 (a8*,e,t)
1500 CC Std Bed 4WD	6.2L V-8	11,700/10,200 (a8*,g,t)

Conventional towing only, if single tow limit listed.

*8-speed automatic transmission required for maximum trailering capacity with conventional towing.

CHEVROLET SILVERADO/GMC SIERRA 2500

CONVENTIONAL/FIFTH-WHEEL TOWING

2500 Regular Cab

2500 Reg Cab LB 2WD	6.0L V-8	14,500/14,800 (k)
2500 Reg Cab LB 2WD	6.6L V-8 TD	14,500/18,100 (i)
2500 Reg Cab LB 4WD	6.0L V-8	14,500/14,500 (k)
2500 Reg Cab LB 4WD	6.6L V-8 TD	14,500/15,900 (i)

2500 Double Cab

2500 DC Std Bed 2WD	6.0L V-8	13,000/14,500 (k)
2500 DC Std Bed 2WD	6.6L V-8 TD	13,000/16,400 (i)
2500 DC Std Bed 4WD	6.0L V-8	13,000/14,200 (k)
2500 DC Std Bed 4WD	6.6L V-8 TD	13,000/14,400 (i)

2500 DC LB 2WD	6.0L V-8	14,400/14,400 (k)
2500 DC LB 2WD	6.6L V-8 TD	14,500/15,700 (i)
2500 DC LB 4WD	6.0L V-8	14,100/14,100 (k)
2500 DC LB 4WD	6.6L V-8 TD	14,500/13,700 (i)

2500 Crew Cab

2500 CC Std Bed 2WD	6.0L V-8	13,000/14,300 (k)
2500 CC Std Bed 2WD	6.6L V-8 TD	13,000/15,400 (i)
2500 CC Std Bed 4WD	6.0L V-8	13,000/14,000 (k)
2500 CC Std Bed 4WD	6.6L V-8 TD	13,000/13,500 (i)
2500 CC LB 2WD	6.0L V-8	14,300/14,200 (k)
2500 CC LB 2WD	6.6L V-8 TD	14,500/14,800 (i)
2500 CC LB 4WD	6.0L V-8	13,900/13,900 (k)
2500 CC LB 4WD	6.6L V-8 TD	14,500/12,400 (i)

CHEVROLET SILVERADO/GMC SIERRA 3500

CONVENTIONAL/FIFTH-WHEEL TOWING

3500 Regular Cab

3500 Reg Cab LB SRW 2WD	6.0L V-8	14,500/14,600 (k)
3500 Reg Cab LB SRW 4WD	6.0L V-8	14,300/14,300 (k)
3500 Reg Cab LB SRW 4WD	6.6L V-8 TD	14,500/17,600 (i)
3500 Reg Cab LB DRW 2WD	6.0L V-8	14,300/14,300 (k)
3500 Reg Cab LB DRW 4WD	6.0L V-8	14,000/13,900 (k)
3500 Reg Cab LB DRW 4WD	6.6L V-8 TD	20,000/23,300 (i)

3500 Double Cab

3500 DC LB SRW 2WD	6.0L V-8	14,200/14,200 (k)
3500 DC LB SRW 2WD	6.6L V-8 TD	14,500/17,500 (i)
3500 DC LB SRW 4WD	6.0L V-8	13,900/13,900 (k)
3500 DC LB SRW 4WD	6.6L V-8 TD	14,500/17,200 (i)
3500 DC LB DRW 2WD	6.0L V-8	13,800/13,800 (k)
3500 DC LB DRW 2WD	6.6L V-8 TD	20,000/23,200 (i)
3500 DC LB DRW 4WD	6.0L V-8	13,600/13,500 (k)
3500 DC LB DRW 4WD	6.6L V-8 TD	20,000/22,900 (i)

3500 Crew Cab

3500 CC Std Bed SRW 2WD	6.0L V-8	13,000/14,200 (k)
3500 CC Std Bed SRW 2WD	6.6L V-8 TD	13,000/17,500 (i)
3500 CC Std Bed SRW 4WD	6.0L V-8	13,000/13,900 (k)
3500 CC Std Bed SRW 4WD	6.6L V-8 TD	13,000/17,200 (i)
3500 CC LB SRW 2WD	6.0L V-8	14,100/14,000 (k)
3500 CC LB SRW 2WD	6.6L V-8 TD	14,500/17,400 (i)
3500 CC LB DRW 2WD	6.0L V-8	13,700/13,700 (k)
3500 CC LB DRW 2WD	6.6L V-8 TD	20,000/23,100 (i)
3500 CC LB SRW 4WD	6.0L V-8	13,700/13,700 (k)
3500 CC LB SRW 4WD	6.6L V-8 TD	15,000/17,000 (i)
3500 CC LB DRW 4WD	6.0L V-8	13,400/13,300 (k)
3500 CC LB DRW 4WD	6.6L V-8 TD	20,000/22,700 (i)

Ratings for Sierra Denali HD models may vary slightly. See dealer for details.

Fifth-wheel towing requires gooseneck/fifth-wheel prep package.

CHEVROLET SUBURBAN, TAHOE/GMC YUKON

Suburban/Yukon XL 2WD	5.3L V-8	6,300 (b)
-----------------------	----------	-----------

Suburban/Yukon XL 2WD	5.3L V-8	8,300 (g,t)
Suburban/Yukon XL 4WD	5.3L V-8	6,000 (b)
Suburban/Yukon XL 4WD	5.3L V-8	8,000 (g,t)
Tahoe/Yukon 2WD	5.3L V-8	8,500 (g,t)
Tahoe/Yukon 2WD	5.3L V-8	6,500 (b)
Tahoe/Yukon 4WD	5.3L V-8	6,300 (b)
Tahoe/Yukon 4WD	5.3L V-8	8,200 (g,t)
Tahoe/Yukon Denali 2WD	6.2L V-8	8,400 (e)
Tahoe/Yukon Denali 4WD	6.2L V-8	8,100 (e)
Yukon XL Denali 2WD	6.2L V-8	8,100 (e)
Yukon XL Denali 4WD	6.2L V-8	7,900 (e)

Ratings for Tahoe and Yukon models may vary slightly. See dealer for details.

HONDA		
Odyssey	3.5L V-6	3,000 (a9,t)
Odyssey	3.5L V-6	3,500 (a10,t)
Pilot 2WD	3.5L V-6	3,500 (t)
Pilot AWD	3.5L V-6	5,000 (t)
Ridgeline 2WD	3.5L V-6	3,500 (t)
Ridgeline AWD	3.5L V-6	5,000 (t)

HYUNDAI		
Santa Fe	3.3L V-6	5,000 (t)
Santa Fe Sport	2.4L I-4	2,000 (t)
Santa Fe Sport	2.0L I-4 TC	3,500 (t)

INFINITI		
QX60	3.5L V-6	5,000 (t)
QX80	5.6L V-8	8,500 *

*2017 tow rating; 2018 rating not available at press time.

KIA		
Sedona	3.3L V-6	3,500 (t)
Sorento FWD/AWD	2.4L I-4	2,000 (t)
Sorento FWD/AWD	2.0L I-4 TC	3,500 (t)
Sorento FWD	3.3L V-6	3,500 (t)
Sorento AWD	3.3L V-6	5,000 (t)
Sportage FWD/AWD	All	2,000 (t)*

*With trailer brakes

LAND ROVER		
Land Rover Discovery	3.0L V-6 TD	7,716 (t)*
Land Rover Discovery	3.0L V-6 SC	8,201 (t)*
Land Rover Discovery Sport	2.0L I-4 TC	4,409 (t)
Range Rover	3.0L V-6 TD	7,716 (t)
Range Rover	3.0L V-6 SC	7,716 (t)
Range Rover	5.0L V-8 SC (518hp)	7,716 (t)
Range Rover	5.0L V-8 SC (557hp)	6,614 (t)
Range Rover Evoque 5-Door	All	3,968 (t)
Range Rover Evoque Convertible	All	3,306 (t)
Range Rover Sport	All	7,716 (t)
Ranger Rover Velar	2.0L I-4 TC/TD	5,291 (t)
Ranger Rover Velar	3.0L V-6 SC	5,512 (t)

*2017 tow ratings; 2018 ratings not available at press time.

LEXUS		
NX 200t	2.0L I-4 TC	2,000 (t)
RX 350	3.5L V-6	3,500 (t)
RX 450h AWD Hybrid	3.5L V-6	3,500 (t)
GX 460	4.6L V-8	6,500
LX 570	5.7L V-8	7,000

MAZDA		
CX5	2.0L	2,000 (t)
CX9	3.7L V-6	3,500 (t)

MERCEDES-BENZ		
GLC Coupe	All	3,500 (t)
GLC SUV	All	3,500 (t)
GLE Coupe	All	7,200 (t)
GLE SUV AMG	All	7,200 (t)
GLE 350 SUV RWD	3.5L V-6	6,600 (t)
GLE 350 4Matic SUV AWD	3.5L V-6	7,200 (t)
GLE 550e 4Matic AWD Hybrid	3.0L V-6 TC	4,410 (t)
GLS 450/550 4Matic SUV	All	7,200 (t)
GLS 63 SUV AMG	5.5L V-8 TC	7,500 (t)
G-Class SUV	All	7,000

MITSUBISHI		
Outlander GT	3.0L V-6	3,500 (t)

NISSAN		
Armada	5.6L V-8	8,500 (t)
Frontier S/SV CC 5' Bed 2WD	4.0L V-6	6,640 (t)
Frontier S/SV CC 5' Bed 4WD	4.0L V-6	6,370 (t)
Frontier SV CC 6'1" Bed 2WD	4.0L V-6	6,500 (t)
Frontier SV CC 6'1" Bed 4WD	4.0L V-6	6,240 (t)
Frontier DR CC 5' Bed 2WD	4.0L V-6	6,610 (t)
Frontier SL CC 5' Bed 2WD	4.0L V-6	6,480 (t)
Frontier SL CC 5' Bed 4WD	4.0L V-6	6,240 (t)
Frontier SL CC 6'1" Bed 4WD	4.0L V-6	6,110 (t)
Frontier PRO-4X CC 5' Bed 4WD	4.0L V-6	6,290 (t)
Frontier S/SV Ext Cab 6'1" Bed 2WD	2.5L I-4	3,790 (t)
Frontier SV Ext Cab 6'1" Bed 2WD	4.0L V-6	6,710 (t)
Frontier SV Ext Cab 6'1" Bed 4WD	4.0L V-6	6,510 (t)
Frontier DR Ext Cab 6'1" Bed 2WD	4.0L V-6	6,690 (t)
Frontier PRO-4X Ext Cab 6'1" Bed 4WD	4.0L V-6	6,450 (t)
Pathfinder	3.5L V-6	6,000 (t)*
Titan Reg Cab 8' Bed 2WD	5.6L V-8	9,740 (t)*
Titan Reg Cab 8' Bed 4WD	5.6L V-8	9,560 (t)*
Titan Ext Cab 6'6" Bed 2WD	5.6L V-8	9,420 (t)*
Titan Ext Cab 6'6" Bed 4WD	5.6L V-8	9,250 (t)*
Titan CC 5'7" Bed 2WD	5.6L V-8	9,400 (t)*
Titan CC 5'7" Bed 4WD	5.6L V-8	9,230 (t)*
Titan XD Reg Cab 8' Bed 2WD	5.0L V-8 TD	12,640/12,760 (t)*
Titan XD Reg Cab 8' Bed 4WD	5.0L V-8 TD	12,360/12,480 (t)*
Titan XD Ext Cab 6'6" Bed 2WD	5.6L V-8	11,380/11,510 (t)*
Titan XD Ext Cab 6'6" Bed 4WD	5.6L V-8	11,060/11,180 (t)*